CONTENTS

PART 1 AUGUST 1989

ANTOINE, J.-C., JOUANNE, COLETTE and RYTER, ANTOINETTE. Megasomes as the targets of leucine methyl ester in *Leishmania amazonensis* amastigotes 1

DIEZ, B., GALDEANO, A., NICOLAS, R. and CISTERNA, R. Relationship between the production of interferon-α/β and interferon-γ during acute toxoplasmosis 11

McMANUS, D. P. and RISHI, A. K. Genetic heterogeneity within *Echinococcus granulosus*: isolates from different hosts and geographical areas characterized with DNA probes 17

TANAKA, M., IWAMURA, Y., AMANUMA, H., IRIE, Y., WATANABE, M., WATANABE, T., UCHIYAMA, Y. and YASURAOKA, K. Integration and expression of murine retrovirus-related sequences in schistosomes 31

COULSON, PATRICIA S. and MOUNTFORD, A. P. Fate of attenuated schistosomula administered to mice by different routes, relative to the immunity induced against *Schistosoma mansoni* 39

WOOLHOUSE, M. E. J. On the interpretation of age–prevalence curves for schistosome infections of host snails 47

MOSER, D. R., COOK, G. A., OCHS, DIANE E., BAILEY, CHERYL P., McKANE, MELISSA R. and DONELSON, J. E. Detection of *Trypanosoma congolense* and *Trypanosoma brucei* subspecies by DNA amplification using the polymerase chain reaction 57

TURNER, C. M. R. and BARRY, J. D. High frequency of antigenic variation in *Trypanosoma brucei rhodesiense* infections 67

POPIEL, IRENE, GROVE, DONNA L. and FRIEDMAN, M. J. Infective juvenile formation in the insect parasitic nematode *Steinernema feltiae* 77

BOLAS-FERNANDEZ, F. and WAKELIN, D. Infectivity of *Trichinella* isolates in mice is determined by host immune responsiveness 83

IBRAHIM, M. S., TAMASHIRO, W. K., MORAGA, D. A. and SCOTT, A. L. Antigen shedding from the surface of the infective stage larvae of *Dirofilaria immitis* 89

DELVES, C. J., WEBB, R. and HOWELLS, R. E. Neurosecretory-like material in 3rd- and 4th-stage *Dirofilaria immitis* larvae (Nematoda: Filarioidea) 99

SHAW, J. L., MOSS, R. and PIKE, A. W. Development and survival of the free-living stages of *Trichostrongylus tenuis*, a caecal parasite of red grouse *Lagopus lagopus scoticus* 105

KUMAZAWA, H. and FAIRWEATHER, I. Growth of single proglottides during early adult development of *Hymenolepis nana* 115

SMITH, G. and SCHAD, G. A. *Ancylostoma duodenale* and *Necator americanus*: effect of temperature on egg development and mortality 127

DE JONG, A. J., BAKKER, J., ROOS, M. and GOMMERS, F. J. Repetitive DNA and hybridization patterns demonstrate extensive variability between the sibling species *Globodera rostochiensis* and *G. pallida* 133

MARITIM, A. C., YOUNG, A. S., LESAN, A. C., NDUNGU, S. G., MUTUGI, J. J. and STAGG, D. A. Theilerial parasites isolated from carrier cattle after immunization with *Theileria parva* by the infection and treatment method 139

CHEIRA, J. W., NEWSON, R. M. and KARUHIZE, G. R. Adaptation of field strains of *Rhipicephalus appendiculatus* Neumann (Acarina: Ixodidae) to host resistance 149

PART 2 OCTOBER 1989

JARRA, W. and BROWN, K. N. Invasion of mature and immature erythrocytes of CBA/Ca mice by a cloned line of *Plasmodium chabaudi chabaudi* 157

SUHRBIER, A., WISER, M. F., WINGER, L., HARTE, P., NEWTON, M. F., HODIVALA, K. J., NICHOLAS, J. and SINDEN, R. E. Contrasts in antigen expression in the erythrocytic and exoerythrocytic stages of rodent malaria 165

KAMCHONWONGPAISAN, S., BUNYARATVEJ, A., WANACHIWANAWIN, W. and YUTHAVONG, Y. Susceptibility to hydrogen peroxide of *Plasmodium falciparum* infecting glucose-6-phosphate dehydrogenase-deficient erythrocytes 171

SUTTON, C. A., SHIRLEY, M. W. and WISHER, M. H. Characterization of coccidial proteins by two-dimensional sodium dodecyl sulphate–polyacrylamide gel electrophoresis 175

CHAPMAN, H. D. *Eimeria tenella*, *E. acervulina* and *E. maxima*: studies on the development of resistance to diclazuril and other anticoccidial drugs in the chicken 189

NAKAMURA, C. V. and PINTO, A. S. Biological effects of lithium chloride on the insect trypanosomatid *Herpetomonas samuelpessoai* 193

HEYWORTH, M. F. and PAPPO, J. Use of two-colour flow cytometry to assess killing of *Giardia muris* trophozoites by antibody and complement 199

CONRAD, P. A., BALDWIN, C. L., BROWN, W. C., SOHANPAL, B., DOLAN, T. T., GODDEERIS, B. M., DEMARTINI, J. C. and OLE-MOIYOI, O. K. Infection of bovine T cell clones with genotypically distinct *Theileria parva* parasites and analysis of their cell surface phenotype 205

LEWIS, M. C., WELSFORD, I. G. and UGLEM, G. L. Cercarial emergence of *Proterometra macrostoma* and *P. edneyi* (Digenea: Azygiidae): contrasting responses to light:dark cycling 215

THÉRON, A. Hybrids between *Schistosoma mansoni* and *S. rodhaini*: characterization by cercarial emergence rhythms 225

HARNETT, W., WORMS, M. J., KAPIL, A., GRAINGER, M. and PARKHOUSE, R. M. E. Origin, kinetics of circulation and fate *in vivo* of the major excretory–secretory product of *Acanthocheilonema viteae* 229

MCKAY, D. M., HALTON, D. W., ALLEN, J. M. and FAIRWEATHER, I. The effects of cholinergic and serotoninergic drugs on motility *in vitro* of *Haplometra cylindracae* (Trematoda: Digenea) 241

SHAW, J. L. and MOSS, R. The role of parasite fecundity and longevity in the success of *Trichostrongylus tenuis* in low density red grouse populations 253

SHAW, J. L. and MOSS, R. Factors affecting the establishment of the caecal threadworm *Trichostrongylus tenuis* in red grouse (*Lagopus lagopus scoticus*) 259

JOSHUA, G. W. P., HARRISON, L. J. S. and SEWELL, M. M. H. Developmental changes in proteins and glycoproteins revealed by direct radio-iodination of viable *Taenia saginata* larvae 265

HOLLAND, CELIA V., ASAOLU, S. O., CROMPTON, D. W. T., STODDART, R. C., MACDONALD, R. and TORIMIRO, S. E. A. The epidemiology of *Ascaris lumbricoides* and other soil-transmitted helminths in primary school children from Ile-Ife, Nigeria 275

ROBERTSON, L. J., CROMPTON, D. W. T., WALTERS, D. E., NESHEIM, M. C., SANJUR, D. and WALSH, E. A. Soil-transmitted helminth infections in school children from Cocle Province, Republic of Panama 287

ELKINS, D. B. and HASWELL-ELKINS, M. The weight/length profiles of *Ascaris lumbricoides* within a human community before mass treatment and following reinfection 293

PART 3 DECEMBER 1989

ANGELICI, M. C., GRAMICCIA, M. and GRADONI, L. Study on genetic polymorphism of *Leishmania infantum* through the analysis of restriction enzyme digestion patterns of kinetoplast DNA 301

DOYLE, P. S., ENGEL, J. C., GAM, A. A. and DVORAK, J. A. *Leishmania mexicana mexicana*: quantitative analysis of the intracellular cycle 311

PEYRON, F., POLACK, B., LAMOTTE, D., KOLODIE, L. and AMBROISE-THOMAS, P. *Plasmodium falciparum* growth inhibition by human platelets *in vitro* 317

SMITH, H. V., MCDIARMID, A., SMITH, A. L., HINSON, A. R. and GILMOUR, R. A. An analysis of staining methods for the detection of *Cryptosporidium* spp. oocysts in water-related samples 323

SMITH, A. L. and SMITH, H. V. A comparison of fluorescein diacetate and propidium iodide staining and *in vitro* excystation for determining *Giardia intestinalis* cyst viability 329

HOYNE, G. F., BOREHAM, P. F. L., PARSONS, P. G., WARD, C. and BIGGS, B. The effect of drugs on the cell cycle of *Giardia intestinalis* 333

WINGER, C. M., CANNING, E. U. and CULVERHOUSE, J. D. A monoclonal antibody-derived antigen of *Babesia divergens*: characterization and investigation of its ability to protect gerbils against virulent homologous challenge 341

OUMA, J. H., STURROCK, R. F., KLUMPP, R. K. and KARIUKI, H. C. A comparative evaluation of snail sampling and cercariometry to detect *Schistosoma mansoni* transmission in a large-scale, longitudinal field-study in Machakos, Kenya 349

DELGADO, V. S. and MCLAREN, D. J. Variable generation of specific acquired resistance in CBA/Ca mice chronically infected with schistosomiasis mansoni 357

ELSAGHIER, A. A. F., KNOPF, P. M., MITCHELL, G. F. and MCLAREN, D. J. *Schistosoma mansoni*: evidence that 'non-permissiveness' in 129/Ola mice involves worm relocation and attrition in the lungs 365

ELSAGHIER, A. A. F. and MCLAREN, D. J. *Schistosoma mansoni*: evidence that vascular abnormalities correlate with the 'non-permissive' trait in 129/Ola mice 377

COULSON, P. S. and WILSON, R. A. Portal shunting and resistance to *Schistosoma mansoni* in 129 strain mice 383

GIBSON, W. C. Analysis of a genetic cross between *Trypanosoma brucei rhodesiense* and *T.b. brucei* 391

NELLAIAPPAN, K., FATIMA DEVASUNDARI, A. and DHANDAYUTHAPANI, S. Properties of phenol oxidase in *Fasciola gigantica* 403

BARKER, G. C., MERCER, J. G., SVOBODA, J. A., THOMPSON, M. J., REES, H. H. and HOWELLS, R. E. Effects of potential inhibitors of *Brugia pahangi in vitro*: macrofilaricidal action and inhibition of microfilarial production 409

COMLEY, J. C. W., SZOPA, T. M., STROTE, G., BUTTNER, M., DARGE, K. and BUTTNER, D. W. A preliminary assessment of the feasibility of evaluating promising antifilarials *in vitro* against adult *Onchocerca volvulus* 417

MACKENZIE N. E., VAN DE WAA, E. A., GOOLEY, P. R., WILLIAMS, J. F., BENNETT, J. L., BJORGE, S. M., BAILLE, T. A. and GEARY, T. G. Comparison of glycolysis and glutaminolysis in *Onchocerca volvulus* and *Brugia pahangi* by ^{13}C nuclear magnetic resonance spectroscopy 427

ANDREASSEN, J. and HOOLE, D. Repair of *Hymenolepis diminuta* after complement-mediated damage 437